WO 99/60868

PCT/IL99/00273

A CLEAR TOMATO CONCENTRATE AS A TASTE ENHANCER PTO 27 NOV 2000

FIELD OF THE INVENTION


The present invention relates to a novel taste enhancer. The present invention more particularly relates to a natural taste enhancer having taste enhancing properties as good as if not better than commercially available taste enhancers without the problems associated with the popular taste enhancers, in use by the food industry.

BACKGROUND OF THE INVENTION

The food industry uses flavor enhancers in a variety of savory products. These enhancers consist of monosodium glutamate (hereinafter MSG), hydrolyzed vegetable proteins, disodium salts of the 5'-nucleotides inosine monophosphate (IMP), guanosine monophosphate (GMP) and adenosine monophosphate (AMP), as well as autolysed yeasts. While all have disadvantages, the major enhancer, MSG, suffers from the problem known as Chinese Restaurant Syndrome.

The literature on taste enhancers is very large. A sample reference cited to show the various taste enhancers known is: S. Fuke and Y. Ueda, "Interactions between umami and other flavor characteristics", in <u>Trends in Food Science & Technology</u>, Special Issue on Flavor Perception, December, 1996 (Vol. 7), Elsevier Sciences Ltd.

In the processing of tomatoes described in $\rm IL$ 107,999 w have obtained two fractions: serum and pulp where the serum is further concentrated:



After removing from the tomato juice the pulp, the serum is concentrated to a value that is higher than 4.5 ° Bx which is the normal value of crushed tomatoes to reach a Bx value of 80 Bx. It can then be hydrolyzed (or hydrolyzed and then concentrated). This product is commonly referred to as Clear Tomato Concentrate (CTC)-although it is clear only when it is in the 4.5 ° Bx region while at higher Bx values it becomes opaque.

OBJECTIVE OF THE INVENTION

The objective of the present invention is to afford a novel taste enhancer the Clear Tomato Concentrate which lacks the dominant tomato flavor to enable it to be used in a variety of savory food and beverage products and not only those based on tomatoes. It is a further objective of the present invention to afford a taste enhancer with little of no chance of causing Chinese Restaurant Syndrome.

₩© 99/60868 PCT/IL99/00273

STATEMENT OF THE INVENTION

A taste enhancer comprising clear tomato concentrate, and a method of enhancing the flavor of foods comprising adding a clear tomato concentrate to the food in an amount sufficient to enhance the flavor.

DETAILED DESCRIPTION OF THE INVENTION

Tomato Serum Concentrate contains 8-10% soluble proteins and free amino acids. By hydrolyzing the proteins, one can increase the concentration of free amino acids, an in this way intensity the flavor enhancing properties of the concentrate where the hydrolysis occurs due to the presence of natural tomato acids. The rate of hydrolysis increases by heating, and depends on the time and temperature. The results of acid hydrolysis of the Tomato Serum Concentrate are shown in Table 1.

The tomato proteins (in the concentrate or in the serum prior to concentration) can also be hydrolyzed by enzymes at relatively low temperatures.

For this we have used fungal, protease/peptidase enzyme formualation developed by Novo Nordisk, and sold under the name of "flavourzyme". Almost complete protein hydrolysis was obtained after one-hour enzyme treatment at 50°. The enzyme was subsequently inactivated by heating at 80° for a short period. The results of enzymatic hydrolysis of the Tomato Serum Concentrate are shown in Table 2

Hydrolysis before or after concentration of the Tomato Serum yielde essentially the same results-namely an excellent food flavor enhancer.

A further embodiment of the invention is to use the flavor enhancer in powder form. Thus the Clear Tomato Concentrate, after the steps of hydrolysis and concentration, is either sprayed dried or dried using any other conventional dehydration techniques used by the food industry. The Clear Tomato Concentrate can be dried on a variety of materials such as maltodextrins, starches, sugars, carbohydrates, their derivatives or salts used as carriers to facilitate drying.

EXAMPLE 1 Clear Tomato Concentrate In Powder Form

Clear Tomato Concentrate and maltodextrine 19 DE (dextrose equivalent) were diluted with water to the appropriate viscosity and sprayed dried to a free flowing powder containing 3 - 5 % moisture.

EXAMPLE 2: Flavor Enhancing Properties Of Clear Tomato Concentrate

The food and flavor enhancing properties of the hydrolyzed and concentrated (in either order) Clear Tomato Concentrate are demonstrated in taste trials in which three different types of products (namely hamburger, Paolla rice, and vegetable soup) were prepared in three versions:

- 1. Control (with no flavor enhancers).
- 2. Product plus pure MSG (0.3% in the final product).
- 3. Product plus Clear Tomato Concentrate, 60° Bx (0.5% in end Product).

Fifteen tasters were asked to answer two questions for each product:

- 1. Which of the three samples is substantially different?
- 2. Which one of the remaining products do you prefer?

The results of the first question was as follows:

Hamburger: All 15 participants recognized the control as different and inferior.

Paolla Rice: All 15 participants recognized the control as different and inferior.

Vegetable Soup: All 15 participants recognized the control as different and inferior.

The results for the second question were as follows:

Hamburger: Th

Three participants preferred the hamburger with MSG; 9

preferred the hamburger with the Clear Tomato Concentrate,

and 3 had no preference.

Paolla Rice

One participant preferred the sample with MSG; 12 participants

preferred the sample with Clear Tomato Concentrate; and 2 had

no preference.

Vegetable Soup:

Six participants preferred the soup with MSG; 5 participants

preferred the sample with Clear Tomato Concentrate and 4

had no preference.

WO 99/60868 PCT/IL99/00273

From this taste panel we see that the Clear Tomato Concentrate containing a total of 4-5% glutamic acid and glutamine is equal to or better than pure MSG with no problem of the Chinese Restaurant Syndrome. It is believed that this superior enhancing property is due to synergism between the glutamic acid and glutamine on the one hand and the various other amino acids present in the clear Tomato Concentrate on the other hand.

TABLE I

CONCENTRATION OF FREE AMINO ACIDS IN TOMATO

SERUM (60° Bx) AFTER ACID HYDROLYSIS

Aspartic acid 11904.12 Threonine 1117.25 Serine 1279.80 Asparagine 5684.74 Glutamic acid 25501.90 Glutamine 12942.68 Proline 276.54	Compound	CONC mg/kg
Serine 1279.80 Asparagine 5684.74 Glutamic acid 25501.90 Glutamine 12942.68 Proline 276.54	Aspartic acid	11904.12
Asparagine 5684.74 Glutamic acid 25501.90 Glutamine 12942.68 Proline 276.54	Threonine	1117.25
Glutamic acid 25501.90 Glutamine 12942.68 Proline 276.54	Serine	1279.80
Glutamine 12942.68 Proline 276.54	Asparagine	5684.74
Proline 276.54	Glutamic acid	25501.90
	Glutamine	12942.68
	Proline	276,54
Glycine 280.20	Glycine	280.20
Alanine 4574.41	Alanine	4574.41
Valine 440.16	Valine	440.16
Methionine 152.93	Methionine	152.93
Isoleucine 531.46	Isoleucine	531.46
Leucine 623.99	Leucine	623.99
Tyrosine 419.01	Tyrosine	419.01
Phenylalanine 1567.32	Phenylalanine	1567.32
Gamma aminobutyric 9908.32	Gamma aminobutyric	9908.32
Ethanolamine 148.30	Ethanolamine	148.30
Tryptophane 16.56	Tryptophane	16.56
Lysine 1010.62	Lysine	1010.62
Histidine 1035.93	Histidine	1035.93
Arginine 905.63	Arginine	905.63
Total 80321.87	Total	80321.87

C

TABLE 2

CONCENTRATION OF FREE AMINO ACIDS IN TOMATO

SERUM (60° Bx) AFTER ENZYMATIC HYDROLYSIS

Compound	CONC mg/kg	
Aspartic acid	12393.07	
Threonine	1186.59	
Serine	1370.29	
Asparagine	4565.77	
Glutamic acid	25547-74	
Glutamine	11454.92	
Proline	280.31	
Glycine	332.54	
Alanine	4570.03	
Valine	488.21	
Methionine	156.60	
Isoleucine	522.86	
Leucine	612.15	
Tyrosine	435.35	
Phenylalanine	1598.48	
Gamma aminobutyric	10271.85	
Ethanolamine	167.84	
Tryptophane	26.97	
Lysine	1058.58	
Histidine	1051.20	
Arginine	925.63	
	Total 79016.99	